Top Quality

Pliers & Cutter

OEM / ODM



GOOD TOOLS

MAXIMUM CONTROL

www.goodtoolstw.com









PRODUCTION LINE

- STAMPING DEPT
- DRILLING DEPT
- MILLING DEPT
- GRINDING DEPT
- PRECISION DEPT
- DIPPING DEPT
- ASSEMBLY DEPT
- SHIPPING DEPT

BUSINESS TYPE EXPORT

MANUFACTURE EXPORT MARKET GLOBAL



OEM / ODM Manufacturing Services

Leveraging over 40 years of manufacturing expertise, we offer comprehensive OEM/ODM solutions tailored to your brand's specifications.

- Custom Logo Marking & Color Options
- Tailored Packaging & Tool Set Configuration
- From Prototype to Mass Production



INDEX

PRODUCT RECORD

GOOD TOOLS
INDUSTRIAL Co., Ltd.



MINI
STAINLESS
PLIERS

PAGE 7



DIAGONAL CUTTERS &
NEEDLE NOSE PLIERS
FOR PLASTICS

PAGE 64



WIRE
STRIPPER

PAGE 69



Vehicle
Maintenance
Tools



Building
Tools



Fishing
Tackles



Jewelry
Tools




Plastic
Tools



Gardening
Tools



Machinery
Tools



Electronic
Repair
Tools



02 MINI HIGH CARBON PLIERS

PAGE 22



03 PRECISION PLIERS

PAGE 46



06 PUNCHING PLIERS

PAGE 79



07 SNAP-RING PLIERS

PAGE 82



08 PRECISION SCISSORS & SHEARS

PAGE 99



09 PRECISION TWEEZERS

PAGE 104

Electrician Tools

Plastic Model kit

SYMBOL KEY

A1  Half-round jaws

A2  Flat jaws

A3  Round jaws

A4  Flat and pointed jaws

B1  Soft wire

B2  Medium hard wire

B3  Hard wire

B4  Piano wire

C1  Center cutter

C2  Cutting edges with full bevel

C3  Cutting edges with semi-bevel

C4  Cutting edges with micro-bevel

C5  Cutting edges without bevel (Flush cut)

C6  Flush cut for soft materials

C7  Single blade cutter

1  With opening spring


2  Thickness

3  Smooth gripping surfaces

4  Serrated gripping surfaces

5  Cross cut (Shear cut)


6  Safety clip (Wire catcher)

7  Hole punching function

8  With crimping function

MINI STAINLESS PLIERS

01




MP-100P



3.5" Flush Cutter





Do not use to cut steel wire.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8'


APPLICATIONS




MP-100AP



3.5" Ultra-Slim Flush Cutter





Designed with an ultra-slim head profile, this cutter easily reaches tight clearance areas for clean, ultra-flush cutting.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8'


APPLICATIONS




MP-101P



4" Long Nose Pliers





Easy operation in deep and narrow working space.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8'


APPLICATIONS




MP-101BP



4" Long Nose Pliers





Easy operation in deep and narrow working space.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8'


APPLICATIONS




MP-102P



4" Flat Nose Pliers





For fine product assembly and marking angle bends.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’


APPLICATIONS




MP-102SP



4" Super Slim Flat Nose Pliers





Featuring ultra-thin 0.5 mm tips, these super slim flat nose pliers allow precise bending, shaping, and gripping in extremely tight spaces.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’


APPLICATIONS




MP-103P



4" Bent Nose Pliers





Bent nose with 45 deg.
Angle for easy operation in tight working space.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’


APPLICATIONS




MP-103BP



4" Bent Nose Pliers





Bent nose with 45 deg.
Angle for easy operation in tight working space.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’

APPLICATIONS




MP-104P



4" Round Nose Pliers





For bending fine products and operating in small precision equipments.
For curvring wire.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8'

APPLICATIONS




MP-105P



4.5" Long Nose Pliers





Suitable for pulling out fishing hooks.
Serrated jaws for easy picking up.
With cutter

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.8'

APPLICATIONS




MP-106P



4.5" Bent Nose Pliers





Suitable for pulling out fishing hooks.
With cutter

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.8'

APPLICATIONS




MP-100



3.5" Flush Cutter





Do not use to cut steel wire.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200


N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8'


APPLICATIONS

MP-101



4" Long Nose Pliers





Easy operation in deep and narrow working space.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8'


APPLICATIONS

MP-101B



4" Bent Nose Pliers





Easy operation in deep and narrow working space.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200


N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8'


APPLICATIONS

MP-102



4" Flat Nose Pliers





For fine product assembly and marking angle bends.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200


N.W.(kgs) 11	G.W. (kgs) 13	MEAS.(cuft) 1.8'


APPLICATIONS

MP-102S



4" Super Slim Flat Nose Pliers





Featuring ultra-thin 0.5 mm tips, these super slim flat nose pliers allow precise bending, shaping, and gripping in extremely tight spaces.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’


APPLICATIONS




MP-103



4" Bent Nose Pliers





Bent nose with 45 deg.
Angle for easy operation in tight working space.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’

APPLICATIONS




MP-103B



4" Long Nose Pliers





Bent nose with 45 deg.
Angle for easy operation in tight working space.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’

APPLICATIONS




MP-104



4" Round Nose Pliers





For bending fine products and operating in small precision equipments.
For curvring wire.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’

APPLICATIONS




MP-105



4.5" Long Nose Pliers





Suitable for pulling out fishing hooks.
Serrated jaws for easy picking up.
With cutter

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.8'

APPLICATIONS




MP-106



4.5" Bent Nose Pliers





Suitable for pulling out fishing hooks.
With cutter

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.8'


APPLICATIONS




MP-90



4.5" Flush Cutter





Do not use to cut steel wire.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8'


APPLICATIONS




MP-90A



4.5" Flush Cutter-Slim





Designed with an ultra-slim head profile, this cutter easily reaches tight clearance areas for clean, ultra-flush cutting.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8'

APPLICATIONS




MP-91



5" Long Nose Pliers





For easy operation in deep and narrow working space.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200


N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’


APPLICATIONS

MP-92



5" Flat Nose Pliers





For fine product assembly and marking angle bends.

Material Stainless Steel
Inner/master Cartons (PCS) 10/200


N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’


APPLICATIONS

MP-93



5" Bent Nose Pliers





Bent nose with 45deg. angle for easy operation in tight working space.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’


APPLICATIONS

MP-94



5" Round Nose Pliers





For bending fine products and operating in small precision equipments.
For curving wire.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200


N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 1.8’


APPLICATIONS

MP-110



4.5" Long-Reach Flush Cutter





Designed with an extended slim neck to easily reach and cleanly cut sprues or wires in narrow, hard-to-access spaces.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200


N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.8’


APPLICATIONS

MP-111



5" Long-Reach Needle-Nose Pliers





Features an extended slim neck with serrated jaws to securely grip, hold, and manipulate tiny components in tight, hard-to-reach areas.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.8’


APPLICATIONS

MP-112



5" Long-Reach Flat Nose Pliers





For fine product assembly and marking angle bends.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.8’


APPLICATIONS

MP-113



5"Long-Reach Bent Nose Pliers





Bent nose with 45 deg. angle for easy operation in tight working space.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.8’


APPLICATIONS

MP-114



5" Long-Reach Round Nose Pliers





For bending fine products and operting in small precision equipments.
For curving wire.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.8’

APPLICATIONS




MP-200



4.5" Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 15	G.W. (kgs) 17	MEAS.. (cuft) 1.8’


APPLICATIONS




MP-201



5" Long Nose Pliers





For easy operation in deep and narrow working space.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 1.8’


APPLICATIONS




MP-201A



5" Long Nose Pliers





For easy operation in deep and narrow working space.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 1.8’

APPLICATIONS




MP-202



5" Flat Nose Pliers





For fine product assembly.
Serrated jaws for easy picking up.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 1.8'


APPLICATIONS




MP-202A



5" Flat Nose Pliers





For fine product assembly and marking angle bends.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 1.8'

APPLICATIONS




MP-203



5" Bent Nose Pliers





Bent nose with 45 deg.
Angle for easy operation in tight working space.
Serrated jaws for easy picking up.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 1.8'


APPLICATIONS




MP-203A



5" Bent Nose Pliers





Bent nose with 45 deg.
Angle for easy operation in tight working space.

Material Stainless Steel
Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 1.8'

APPLICATIONS




MP-204



4.5" Round Nose Pliers





For bending fine products and operating in small precision equipments.
For curving wire.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 1.8'

APPLICATIONS




MP-211



6" Long Nose Pliers





Suitable for pulling out fishing hooks.
Serrated jaws for easy picking up.
With cutter.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 19	G.W. (kgs) 21	MEAS. (cuft) 2.5'

APPLICATIONS




MP-212



6"Bent Nose Pliers





Suitable for pulling out fishing hooks.
With cutter.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 19	G.W. (kgs) 21	MEAS. (cuft) 2.5'


APPLICATIONS




MP-230



5" Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 2.5'


APPLICATIONS



MP-231



5" Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 2.5'


APPLICATIONS



MP-232



5"Multi-Purpose Long-Nose Pliers





Featuring serrated precision tips, a multi-functional gripping jaw, and a built-in wire cutter, this compact long-nose pliers is engineered for versatile electrical and crafting tasks.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 2.5'


APPLICATIONS



MP-233



5" Multi-Purpose Bent-Nose Pliers





Featuring an angled nose for improved visibility in tight spaces, this multi-purpose bent-nose pliers integrates serrated precision tips, a gripping jaw, and a wire cutter.

Material Stainless Steel

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 2.5'

APPLICATIONS




MP-234



7" Hemostatic Forceps





Fishing & outdoor hook removal, pet care
(ear hair grooming), household utility, and general crafting.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 2.5’

APPLICATIONS




MP-235



7" Hemostatic Forceps Bent





Fishing & outdoor hook removal, pet care
(ear hair grooming), household utility, and general crafting.

Material Stainless Steel


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 2.5

APPLICATIONS




MP-236



8.5" Hemostatic Forceps





Automotive & mechanical repair, deep-space hose
clamping, industrial maintenance, and heavy-duty retrieval.

Material Stainless Steel


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 2.5


APPLICATIONS




MP-237



8.5"Hemostatic Forceps Bent





Automotive & mechanical repair, deep-space hose
clamping, industrial maintenance, and heavy-duty retrieval.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 2.5’


APPLICATIONS




MP-238



5.5"Hemostatic Forceps





Precision electronics assembly, jewelry making, hobby crafts, model building, and delicate laboratory work.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 2.5'


APPLICATIONS




MP-239



5.5"Hemostatic Forceps Bent





Precision electronics assembly, jewelry making, hobby crafts, model building, and delicate laboratory work.

Material Stainless Steel

Inner / Master Cartons (PCS) 10/200


N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 2.5'

APPLICATIONS




MINI HIGH CARBON PLIERS

02




High Hardness and Lasting Durability for Precision Work

MP-160



5" Flush Cutter






Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 19	MEAS. (cuft)	2.5'

APPLICATIONS




MP-160S



5" Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 19	MEAS. (cuft)	2.5'


APPLICATIONS




MP-161



6" Long Nose Pliers





For easy operation in deep and narrow working space.
Serrated for easy taking up.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft)	2.5'

APPLICATIONS




MP-162



5" Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft)	2.5'

APPLICATIONS




MP-162S



5" Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft)	2.5'

APPLICATIONS




MP-163



5" Flush Cutter






Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft)	2.5'

APPLICATIONS




MP-163S



5" Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft)	2.5'

APPLICATIONS




MP-164



5" Flat Nose Pliers-silm





For easy operation in deep and narrow working space.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft)	2.5'

APPLICATIONS




MP-167



6" Long Nose Pliers With Cutter





Designed with a round and half-round jaw profile, these pliers effortlessly form smooth wire loops and bends for electronics assembly, jewelry crafts, and fishing applications.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft)	2.5'


APPLICATIONS

MP-167A



6" Long Nose Pliers With Cutter






Suitable for pulling out fishing hooks.
With cutter.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft)	2.5'


APPLICATIONS

MP-168



5" Flush Cutter






Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft)	2.5'


APPLICATIONS

MP-168S



5" Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft)	2.5'

APPLICATIONS

MP-169



5.5" End Cutting Nippers

3

Designed with end-cutting jaws, this nipper allows precise, ultra-flush cutting close to surfaces in tight or hard-to-reach areas.


Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5’

APPLICATIONS

MP-180



4.5" Flush Cutter-slim



1.3 2

Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.
N.W.(kgs)


Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft)	2.5’

APPLICATIONS

MP-181



4.5" Flush Cutter-slim 48 Angle



1.3 2 48

Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.


Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft)	2.5’

APPLICATIONS

MP-182




4.5" Flush Cutter-slim Reverse Blade



1.3 2

Features a 48° angled reverse blade and slim head, allowing ergonomic overhead access and ultra-flush cutting in high-density PCB assemblies.




Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 15	G.W. (kgs) 16	MEAS. (cuft)	2.5’


APPLICATIONS

MP-183



5" Memory Wire Shears





Specially designed with heavy-duty bypass blades to cleanly cut tough metal rods, spring wires, and photo-etched parts.


Capacity	2mm copper wire / 1.0 mm memory wire
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft) 2.5'


APPLICATIONS




MP-184



6" Optical Fiber Stripper





Precision wire stripper & cutter with an adjustable screw for multi-gauge wire processing.

Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS




MP-185



6" Flush Cutter





Short jaw with a high-leverage p ivot optimizes force transmission for effortless, clean flush cutting.

Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS




MP-185S



6" Flush Cutter





High-leverage flush cutter equipped with a wire safety clip to hold offcuts securely and prevent flyaway hazards.

Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS



MP-186



6" Heavy-Duty Flush Cutter





Designed with a heavy-duty flush blade, these pliers provide strong leverage for clean and flush cuts on soft metals.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS



MP-187



6" Short Jaw Flush Cutter





Featuring a reinforced short-jaw design, these pliers deliver maximum cutting force and exceptional rigidity for high-load wire cutting.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS



MP-188



6" Cable Tie Tension & Flush Cutting Pliers





Equipped with a serrated jaw base to firmly grip and tension cable ties, followed by a flush blade for clean, flush tail cutting.


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS



MP-250E



5" Flush Cutter-Slim





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-250AE



5" Flush Cutter-Slim






Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'


APPLICATIONS

MP-251E



6" Long Nose Pliers With Serrated Jaw






For easy operation in deep and narrow working space.
Serrated for easy taking up.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS

MP-251AE



6" Long Nose Pliers






For easy operation in deep and narrow working space.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS

MP-251BE



5.5" Long Nose Pliers





For easy operation in deep and narrow working space.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft) 2.5'


APPLICATIONS

MP-252E



6" Flat Nose Pliers





For fine product assembly and marking angle bends.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS




MP-252AE



5.5" Flat Nose Pliers






For fine product assembly and marking angle bends.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft) 2.5'

APPLICATIONS




MP-253E



6" Bent Nose Pliers With Serrated Jaw 45 Angle





For bending fine products and operating in small precision equipments.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS




MP-253AE



6" Bent Nose Pliers With Serrated Jaw 75 Angle






For easy operation in tight working space.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS




MP-254E



5.5" Round Nose Pliers






For bending fine products and operating in small precision equipments.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft) 2.5'

APPLICATIONS




MP-255E



5" Flush Cutter 48 Angle





Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 22	G.W. (kgs) 24	MEAS. (cuft) 2.5'

APPLICATIONS




MP-256E



5" Flush Cutter-Slim





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-257E



5" Flush Cutter-Slim





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-258E



5" Heavy-Duty Flush Cutter





Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 25	G.W. (kgs) 26	MEAS. (cuft)	2.5'

APPLICATIONS




MP-258SE



5" Heavy Duty Flush Cutter





Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft)	2.5'

APPLICATIONS




MP-258AE



5" Flush Cutter Reverse Blade






Features a 48° angled reverse blade and slim head, allowing ergonomic overhead access and ultra-flush cutting in high-density PCB assemblies.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 25	G.W. (kgs) 26	MEAS. (cuft)	2.5'

APPLICATIONS






MP-180C



4.5" Flush Cutter-Slim





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEANS. (cuft) 2.5'


APPLICATIONS

MP-181C



4.5" Flush Cutter-Slim 48 Angle





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEANS. (cuft) 2.5'


APPLICATIONS


MP-182C



4.5" Flush Cutter-Slim Reverse Blade







Features a 48° angled reverse blade and slim head, allowing ergonomic overhead access and ultra-flush cutting in high-density PCB assemblies.


Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEANS. (cuft) 2.5'


APPLICATIONS

MP-183C



5" Memory Wire Shears





Specially designed with heavy-duty bypass blades to cleanly cut tough metal rods, spring wires, and photo-etched parts.

Capacity 2mm copper wire / 1.0 mm memory wire


Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEANS. (cuft) 2.5'


APPLICATIONS

MP-184C

6" Optical Fiber Stripper







Precision wire stripper & cutter with an adjustable screw for multi-gauge wire processing.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEANS. (cuft) 2.5’


APPLICATIONS

MP-250C



5" Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 19	MEAS. (cuft) 2.5'


APPLICATIONS

MP-250AC



5" Flush Cutter-slim





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 19	MEAS. (cuft) 2.5'


APPLICATIONS

MP-251C



6" Long Nose Pliers





For easy operation in deep and narrow working space.
Serrated for easy taking up.


Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'


APPLICATIONS

MP-251AC



6" Long Nose Pliers





For easy operation in deep and narrow working space.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'


APPLICATIONS

MP-251BC



5.5" Long Nose Pliers





For easy operation in deep and narrow working space.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 17	G.W. (kgs) 19	MEAS. (cuft)	2.5’


APPLICATIONS

MP-252C



6" Flat Nose Pliers





For fine product assembly and marking angle bends.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5’


APPLICATIONS

MP-252AC



5.5" Flat Nose Pliers





For fine product assembly and marking angle bends.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5’


APPLICATIONS

MP-253C



6" Bent Nose Pliers





For bending fine products and operating in small precision equipments.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5’


APPLICATIONS

MP-253AC



6" Bent Nose Pliers





For easy operation in tight working space.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'


APPLICATIONS

MP-254C



5.5" Round Nose Pliers





For bending fine products and operating in small precision equipments.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'


APPLICATIONS

MP-255C



5" Flush Cutter





Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'


APPLICATIONS

MP-256C



5" Tapered Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.


Inner/master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 19	MEAS. (cuft)	2.5'

APPLICATIONS

MP-257C



5" Flush Cutter With Wire Catcher





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.


Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'

APPLICATIONS

MP-258C



5" Heavy-Duty Flush Cutter





Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.


Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft)	2.5'

APPLICATIONS

MP-258AC




5" Heavy-Duty Flush Cutter Reverse Blade





Features a 48° angled reverse blade and slim head, allowing ergonomic overhead access and ultra-flush cutting in high-density PCB assemblies.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft)	2.5'



APPLICATIONS

MP-280C



5" Heavy-Duty Flush Cutter (S50C)





Featuring a slimmed-down head profile, this cutter easily reaches tight clearances for ultra-flush cutting on electronic components.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft)	2.5'


APPLICATIONS



MP-280AC



5" Ultra-Slim Flush Cutter (S50C)





Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft)	2.5'

APPLICATIONS



MP-281C



5" Heavy-Duty Flush Cutter (S50C)





Retains cut wire leads to prevent flying debris and keep working areas safe.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft)	2.5'


APPLICATIONS



MP-282C



6" Heavy-Duty Long Nose Pliers S50c





For easy operation in deep and narrow working space.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 23	G.W. (kgs) 24	MEAS. (cuft)	2.5'

APPLICATIONS



MP-280



5" Heavy-Duty Flush Cutter (S50C)





Suitable for copper wire below dia. 1.2mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS



MP-280A



5" Ultra-Slim Flush Cutter (S50C)





Suitable for copper wire below dia. 1.2mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS



MP-281



5" Heavy-Duty Flush Cutter (S50C)





Retains cut wire leads to prevent flying debris and keep working areas safe.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEANS. (cuft) 2.5'


APPLICATIONS



MP-282



6" Heavy-Duty Long Nose Pliers S50c





Smooth jaws come to a fine even paper.
For fine products assembly and making angle bends.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 23	G.W. (kgs) 24	MEAS. (cuft) 2.5'


APPLICATIONS



MP-250K



5" Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 19	MEAS. (cuft)	2.5'


APPLICATIONS



MP-250AK



5" Ultra-Slim Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 19	MEAS. (cuft)	2.5'


APPLICATIONS



MP-251K



6" Long Nose Pliers





For easy operation in deep and narrow working space.
Serrated for easy taking up.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'


APPLICATIONS




MP-251AK



6" Long Nose Pliers





For easy operation in deep and narrow working space.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'


APPLICATIONS




MP-251BK



5.5" Long Nose Pliers





For easy operation in deep and narrow working space.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 17	G.W. (kgs) 19	MEAS. (cuft) 2.5'


APPLICATIONS

MP-252K



6" Flat Nose Pliers





For fine product assembly and marking angle bends.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'


APPLICATIONS

MP-252AK



5.5" Flat Nose Pliers





For fine product assembly and marking angle bends.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'


APPLICATIONS

MP-253K



6" Bent Nose Pliers





For bending fine products and operating in small precision equipments.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS) 10/200


N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'


APPLICATIONS

MP-253AK



6" Bent Nose Pliers





For easy operation in tight working space.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'

APPLICATIONS




MP-254K



5.5" Round Nose Pliers





For bending fine products and operating in small precision equipments.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'

APPLICATIONS




MP-255K



5" 48° Angled Flush Cutter





Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'

APPLICATIONS




MP-256K



5" Tapered Flush Cutter





Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 19	MEAS. (cuft) 2.5'


APPLICATIONS



MP-257K



5" Flush Cutter With Wire Catcher





Retains cut wire leads to prevent flying debris and keep working areas safe.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'


APPLICATIONS



MP-258K



5" Heavy-Duty Flush Cutter





Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft)	2.5'


APPLICATIONS



MP-258SK



5" Heavy-Duty Flush Cutter





Retains cut wire leads to prevent flying debris and keep working areas safe.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft)	2.5'


APPLICATIONS



MP-258AK



5" Heavy-Duty Flush Cutter Reverse Blade






Features a 48° angled reverse blade and slim head, allowing ergonomic overhead access and ultra-flush cutting in high-density PCB assemblies.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 21	MEAS. (cuft)	2.5'


APPLICATIONS





PRECISION PLIERS

03



Designed For Ultra-fine, Accurate, And Reliable Performance

MP-10



4.5" Diagonal Cutter





Suitable for sofe wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-10A



4.5" Thin-Head Diagonal Cutter






Thin head design, this cutter reaches into tight spaces
for precise flush cutting of soft copper wires below 1.3mm.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'


APPLICATIONS



MP-11



5.5" Long Nose Pliers






With cutter.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'


APPLICATIONS



MP-11A



5.5" Long Nose Pliers






Non cutter.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-12



5.5" Flat Nose Pliers





Smooth jaws come to a fine even paper.
For fine products assernbly and making angle bends.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-13



5.5" Bent Nose Pliers






Featuring a 45° angled nose with fine serrated tips, this pliers provides superior line-of-sight and maximum precision in confined working spaces.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'


APPLICATIONS




MP-14



5.5" Round Nose Pliers





Bent nose with 45 deg. angle for easy operation in tight working space.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 23	G.W. (kgs) 24	MEAS. (cuft) 2.5'

APPLICATIONS




MP-15B



4.5" Relieved Head Angled Cutter





Provides maximum clearance and enhanced visibility in high-density or hard-to-reach assembly areas.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 19	G.W. (kgs) 20	MEAS. (cuft) 2.5'

APPLICATIONS




MP-15C



4.5" Relieved Head Angled Cutter






Made by CRV.6140 steel.
Precision Wire Stripper & Cutter
Precision electronic cutter with an integrated 1.6mm (14 AWG) wire stripper.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 19	G.W. (kgs) 20	MEAS. (cuft) 2.5'

APPLICATIONS




MP-15D



4.5" Diagonal Cutting Pliers





Made by CRV.6140 steel.
With superior two color TRV handles.
Suitable for soft wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 19	G.W. (kgs) 20	MEAS. (cuft) 2.5'

APPLICATIONS




MP-16C



5.7" Long Nose Side Cutting Pliers





Made by high carbon steel.
With superior two color TRV handles.
With cutter.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5'


APPLICATIONS




MP-16D



5.7" Long Nose Pliers





Made by high carbon steel.
With superior two color TRV handles.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-16G



5.5" Long Nose Pliers





Made by high carbon steel.
With superior two color TRV handles.
With cutter.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5'


APPLICATIONS




MP-17B



5.7" Flat Nose Pliers





Made by high carbon steel.
Flat nose pliers designed for secure clamping, flattening and sharp angular wire bending.
For fine products assembly and making angle bends.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-17D



5.7" Flat Nose Pliers





Made by high carbon steel.
With superior two color TRV handles.
For fine products assembly and making angle bends.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-19D



5.5" Round Nose Pliers





Made by high carbon steel.
With superior two color TRV handles.
With cutter.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 23	G.W. (kgs) 24	MEAS. (cuft) 2.5'


APPLICATIONS




MP-21



5.7" Needle Nose Pliersslim





Made by high carbon steel.
With superior two color TRV handles.
With cutter.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft)	2.5'


APPLICATIONS




MP-22



5.7" Bent Needle Nose Pliers-slim





Made by high carbon steel.
With superior two color TRV handles.
Bent nose with 45 dge.angle for easy operation in tight working space.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft)	2.5'


APPLICATIONS




MP-23



5.7" Bent Flat Nose Pliers






Made by high carbon steel.
With superior two color TRV handles.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft)	2.5'


APPLICATIONS



MP-25



5" Full Bevel Diagonal Cutting Pliers





Made by CRV.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft)	2.5'

APPLICATIONS




MP-26



5" Electronics End Cutting Nipper






Designed with precision end-cutting jaws for clean, perpendicular trimming of component leads and wire ends in confined spaces.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5’



APPLICATIONS




MP-27



5.5" Combination Pliers





3-in-1 Multifunctional Jaws: Integrated with flat gripping jaws, a pipe grip area for round objects and side-cutting edges.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5’

APPLICATIONS




MP-50



4.5" Precision Diagonal Cutter With Oval Head





Made by 63 CRMO steel.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 2.5'

APPLICATIONS




MP-51



4.5" Precision Diagonal Cutter With Bevel





Made by 63 CRMO steel.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 2.5'

APPLICATIONS




MP-52



4.5" Precision Diagonal Cutter With Tapered Head





Made by 63 CRMO steel.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 2.5'

APPLICATIONS




MP-53



4.5" Precision Diagonal Cutter With Bevel





Made by 63 CRMO steel.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 2.5'

APPLICATIONS




MP-54



4.5" Ultra-Slim Diagonal Cutter


1.3 6.5



Made by 63 CRMO steel.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 2.5'




APPLICATIONS

MP-60



4.5" Precision Diagonal Cutter With Oval Head

1.6 6.5




Made by 63 CRMO steel.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'


APPLICATIONS

MP-61



4.5" Precision Diagonal Cutter With Tapered Head

1.6 6.5



Made by 63 CRMO steel.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'


APPLICATIONS

MP-62



4.5" Ultra-Slim Diagonal Cutter


1.6 6.5



Made by 63 CRMO steel.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'




APPLICATIONS

MP-70



5" Heavy-Duty Diagonal Cutter





Made by 63 CRMO steel.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'

APPLICATIONS




MP-71



5" Ultra-Slim Diagonal Cutter






Made by 63 CRMO steel.
With superior two color TRV handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'

APPLICATIONS






MP-50W



4.5" Precision Diagonal Cutter With Oval Head





Made by 63 CRMO steel.
With superior two color handles.
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 2.5'

APPLICATIONS




MP-51W



4.5" Precision Diagonal Cutter With Bevel





Made by 63 CRMO steel.
With superior two color handles.
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 2.5'

APPLICATIONS




MP-52W



4.5" Precision Diagonal Cutter With Tapered Head





Made by 63 CRMO steel.
With superior two color handles.
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 2.5'

APPLICATIONS




MP-53W



4.5" Precision Diagonal Cutter With Bevel





Made by 63 CRMO steel.
With superior two color handles.
Suitable for copper wire below dia. 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 2.5'

APPLICATIONS




MP-54W




4.5" Ultra-Slim Diagonal Cutter





Made by 63 CRMO steel.
With superior two color handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 2.5'



APPLICATIONS




MP-60W



4.5" Precision Diagonal Cutter With Oval Head





Made by 63 CRMO steel.
With superior two color handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft) 2.5'

APPLICATIONS




MP-61W



4.5" Precision Diagonal Cutter With Tapered Head





Made by 63 CRMO steel.
With superior two color handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'

APPLICATIONS





MP-62W



4.5" Ultra-Slim Diagonal Cutter







Made by 63 CRMO steel.
With superior two color handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'

APPLICATIONS




MP-70W



5" Heavy-Duty Diagonal Cutter





Made by 63 CRMO steel.
With superior two color handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'

APPLICATIONS





MP-71W



5" Ultra-Slim Diagonal Cutter








Made by 63 CRMO steel.
With superior two color handles.
Suitable for copper wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 18	G.W. (kgs) 20	MEAS. (cuft)	2.5'

APPLICATIONS




MP-150



4"Diagonal Cutter






Suitable for soft wire below dia. 1.3mm.


Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft)	1.8'


APPLICATIONS

MP-151



4" Long Nose Pliers






Non cutter.
Smooth jaws come to a fine even paper.
For fine produts assembly and making angle bends.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft)	1.8'


APPLICATIONS

MP-151A



4.5"Long Nose Pliers






Non cutter.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft)	1.8'


APPLICATIONS

MP-151B



4.5"Long Nose Pliers






With cutter.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft)	1.8'


APPLICATIONS

MP-151C



5" Long Nose Pliers





Smooth jaws tapered to a fine point for precision handling.
Ideal for fine products assembly and wire bending.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft) 1.8'


APPLICATIONS




MP-152



4.5" Flat Nose Pliers





Smooth jaws tapered to a fine point for precision handling.
Ideal for fine products assembly and wire bending.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft) 1.8'

APPLICATIONS



MP-155



4"Diagonal Cutter






Featuring smooth dipped handles and precision jaws for clean flush cutting of soft wires below 1.3mm.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft) 1.8'

APPLICATIONS




MP-155B



4"Diagonal Cutter






Featuring a black oxide and non-slip textured handles, this 4" diagonal cutter provides enhanced corrosion resistance and superior grip control for precision work.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft) 1.8'

APPLICATIONS




MP-156A



4.5"Long Nose Pliers





Long nose pliers with a slim tip and non-slip handles for precise gripping in tight spaces.


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft) 1.8'

APPLICATIONS




MP-157A



4.5"Round Nose Pliers





Round nose pliers with smooth tapered jaws and non-slip handles for precise wire looping.


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft) 1.8'

APPLICATIONS




MP-30



5"Diagonal Cutter





Suitable for soft wire below dia. 1.6mm.
Do not use to cut steel wire.


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 24	MEAS. (cuft) 2.5'

APPLICATIONS




MP-31



5"Long Nose Pliers





With side cutter.
Serrated jaws for easy picking up.


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 24	MEAS. (cuft) 2.5'

APPLICATIONS




MP-31B



5.5"Long Nose Pliers





With side cutter.
Serrated jaws for easy picking up.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 22	G.W. (kgs) 24	MEAS. (cuft) 2.5'

APPLICATIONS




MP-33



5" Diagonal Cutter






Suitable for sofe wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 28	G.W. (kgs) 30	MEAS. (cuft) 2.5'

APPLICATIONS




MP-306A



5" POM Jaws Flat Nose Pliers





Offers a soft-touch grip for delicate surface protection.
Features easily replaceable jaw pads.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 28	G.W. (kgs) 30	MEAS. (cuft) 2.5'

APPLICATIONS




MP-306B



5" Nylon Jaws Flat Nose Pliers





Exceptional wear resistance and toughness. Perfect for heavy-duty wire straightening without leaving marks.
Features easily replaceable jaw pads.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 28	G.W. (kgs) 30	MEAS. (cuft) 2.5'

APPLICATIONS




MP-352



4.5" Diagonal Cutter






Suitable for sofe wire below dia 1.3mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 16	G.W. (kgs) 18	MEAS. (cuft) 2.5'

APPLICATIONS




MP-353



5" Diagonal Cutter





with utter.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 23	G.W. (kgs) 25	MEAS. (cuft) 2.5'

APPLICATIONS




MP-354



5" Diagonal Cutter





Suitable for sofe wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-354A



5" Diagonal Cutter With Bevel





Suitable for sofe wire below dia. 1.6mm.
Do not use to cut steel wire.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-354B



5" Tungsten Carbide Diagonal Cutters





Features ultra-hard tungsten carbide jaws designed for long-lasting performance when cutting tough piano wire and soft metals without edge wear.


Capacity 2mm copper wire / 0.5 mm piano wire
Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS




MP-501B



5" Round Nose Pliers





A 5" round nose pliers with straight cylindrical jaws and non-slip handles for forming uniform wire loops.


Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 15	G.W. (kgs) 17	MEAS. (cuft) 2.5'

APPLICATIONS




MP-501C



6-step Multi Size Wire Looping Jewelry Pliers





A 6-step wire looping pliers designed for forming consistent loops in 6 precise sizes.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 24	MEANS. (cuft) 2.5'

APPLICATIONS




MP-501D



5" Round Nose Pliers





A 5" round nose pliers with smooth tapered conical jaws for creating wire loops of various sizes.

Inner / Master Cartons (PCS) 10/200


N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 2.5'

APPLICATIONS



DIAGONAL CUTTERS NEEDLE NOSE PLIERS FOR PLASTICS

04




MP-30H



5" Single-Blade Model Nipper





High Rigidity: Reinforced anvil base provides maximum structural stability, paired with precision-ground edges for reliable, everyday model building.

Capacity	3mm plastic
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 10	G.W. (kgs) 12	MEAS. (cuft) 2.5'


APPLICATIONS

MP-30HP



5" Precision Single-Blade Model Nipper






Ultra-Smooth Cutting: Mirror-polished blade minimizes resistance for effortless, clean cuts, while the slim anvil design easily reaches narrow sprues.

Capacity	3mm plastic
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 10	G.W. (kgs) 12	MEAS. (cuft) 2.5'


APPLICATIONS

MP-30HPL



5" Precision Single-Blade Model Nipper (LH)





An ergonomic left-handed version of the 30HP, featuring an ultra-thin single blade for high-precision model gate trimming.

Capacity	3mm plastic
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 10	G.W. (kgs) 12	MEAS. (cuft) 2.5'


APPLICATIONS

MP-30BAS



5" Double-Blade Precision Model Nipper





Features asymmetric blades of different thicknesses, pairing a ultra-thin edge for clean cutting with a rigid thick edge to support heavy-duty sprue trimming.

Capacity	3.0mm plastic / 1.6mm copper wire
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 2.5'


APPLICATIONS

MP-30F



5" 45° Single-Blade Model Nipper






Featuring a 45° angled head with a precision single blade, this nipper allows effortless, ultra-clean sprue gate trimming in tight or hard-to-reach angles.

Capacity	3mm plastic
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 14	G.W. (kgs) 16	MEAS. (cuft) 2.5'


APPLICATIONS

MP-31C



6" Ultra-Fine Needle-Nose Plier






Combines extended slim jaws, wire cutting, and pipe-gripping functionality in one compact design.

Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 14	G.W. (kgs) 16	MEAS. (cuft) 2.5'


APPLICATIONS

MP-31D



6" Smooth-Jaw Needle-Nose Pliers





Features smooth, non-serrated jaws to prevent surface marring, paired with a sharp side cutter for versatile precision work.

Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 14	G.W. (kgs) 16	MEAS. (cuft) 2.5'

APPLICATIONS

MP-40H



5" High-Leverage Single-Blade Model Nipper




Featuring an off-center high-leverage pivot and a precision single blade, this nipper offers effortless cutting power and smooth sprue gate removal for model kits.

Capacity	3mm plastic
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 14	G.W. (kgs) 16	MEAS. (cuft) 2.5'

APPLICATIONS

MP-40BAS



5" High-Leverage Double-Blade Precision Nipper

7

Combining an off-center high-leverage pivot with a durable double blade, this nipper delivers powerful, effortless cutting for both plastic sprues and soft wires.

Capacity	3.0mm plastic / 2.0mm copper wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 14	G.W. (kgs) 16	MEAS. (cuft) 2.5'

APPLICATIONS

MP-168PAK



5" Lightweight Double-Blade Nippers



2.5

Featuring precision-thinned dual blades to drastically reduce cutting resistance and deliver exceptionally flush cuts, this versatile nipper is the ideal primary workhorse or first-stage cutter for plastic modeling.

Capacity	3.0mm plastic / 1.2mm copper wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 11	G.W. (kgs) 13	MEAS. (cuft) 2.5'

APPLICATIONS

MP-168PBW



5" Lightweight Single-Blade Model Nipper



2.5

Featuring an ultra-lightweight design with ergonomic handles, this single-blade nipper reduces hand fatigue during long plastic model building sessions.

Capacity	2.0mm plastic
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 2.5'

APPLICATIONS

MP-01PA



4.5" Basic Plastic Model Nipper



2.5

With thinned edges for smooth plastic cutting, featuring smooth, slim TPR handles for maximum control in tight spaces.


Capacity	2.0mm plastic / 1.0mm copper wire
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 11	MEAS. (cuft)


APPLICATIONS

MP-01PAP

4.5" Basic Plastic Model Nipper







With thinned edges, upgraded with ergonomic, textured TPR grips and lanyard holes for enhanced anti-slip comfort and reduced fatigue.

Capacity	2.0mm plastic / 1.0mm copper wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 9	**G.W. (kgs)** 11	**MEAS. (cuft)** 2.5’

APPLICATIONS




WIRE STRIPPER

05




Multi-function Design For Stripping, Cutting, And Crimping Wires

MP-259E



5.5" Multi-Purpose Wire Stripper 0.6-2.6mm



3

3-in-1 versatile tool for wire stripping, cutting, and crimping.

Capacity	0.6-2.6mm
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 21	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS

MP-260E



6" Wire Stripper & Cutter 0.8-2.6mm



3

Capacity	10–20 AWG / 0.8–2.6mm Solid Wire
Inner/master Cartons (PCS)	10/200


N.W.(kgs) 29	G.W. (kgs) 30	MEAS. (cuft) 2.5'

APPLICATIONS

MP-261E



6" Wire Stripper & Cutter 0.2-0.8mm



3

Capacity	20–30 AWG / 0.2–0.8mm Solid Wire
Inner/master Cartons (PCS)	10/200


N.W.(kgs) 29	G.W. (kgs) 30	MEAS. (cuft) 2.5'

APPLICATIONS

MP-263E



6" Wire Stripper & Cutter 1.8-4.5mm



3

Capacity	8–16 AWG /1.8–4.5mm Solid Wire
Inner/master Cartons (PCS)	10/200


N.W.(kgs) 29	G.W. (kgs) 30	MEAS. (cuft) 2.5'


APPLICATIONS

MP-263AE

6" Wire Stripper & Cutter 4.5-6.5mm







Capacity	4–8 AWG / 4.5–6.5mm Solid Wire
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 29	G.W. (kgs) 30	MEAS. (cuft) 2.5'


APPLICATIONS




MP-264E

6" Wire Stripper & Cutter 0.4-1.3mm







Capacity	16–26 AWG / 0.4–1.3mm Solid Wire
Inner/master Cartons (PCS)	10/200

N.W.(kgs) 29	G.W. (kgs) 30	MEAS. (cuft) 2.5'


APPLICATIONS




MP-265E

6" Wire Stripper & Cutter 0.2-0.3mm







Capacity	28–30 AWG / 0.2–0.3mm Solid Wire
Inner/master Cartons (PCS)	10/200

N.W.(kgs) 29	G.W. (kgs) 30	MEAS. (cuft) 2.5'


APPLICATIONS




MP-266E

6" Wire Stripper & Cutter 0.5-2.0mm







Capacity	12–24 AWG / 0.5–2.0mm Solid Wire
Inner/master Cartons (PCS)	10/200

N.W.(kgs) 29	G.W. (kgs) 30	MEAS. (cuft) 2.5'


APPLICATIONS



MP-259C

5.5" Multi-Purpose Wire Stripper 0.6-2.6mm





3

3-in-1 versatile tool for wire stripping, cutting, and crimping.


Capacity	0.6-2.6mm
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5'

APPLICATIONS

MP-260C

6" Wire Stripper & Cutter 0.8-2.6mm





3


Capacity	10–20 AWG / 0.8–2.6mm Solid Wire
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5'

APPLICATIONS

MP-261C

6" Wire Stripper & Cutter 0.2-0.8mm





3


Capacity	20–30 AWG / 0.2–0.8mm Solid Wire
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5'

APPLICATIONS

MP-263C

6" Wire Stripper & Cutter 1.8-4.5mm





3

Capacity	8–16 AWG /1.8–4.5mm Solid Wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5'

APPLICATIONS

MP-263AC

6" Wire Stripper & Cutter 4.5-6.5mm





3

Capacity	4–8 AWG / 4.5–6.5mm Solid Wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 29	G.W. (kgs) 30	MEAS. (cuft) 2.5’

APPLICATIONS

MP-264C

6" Wire Stripper & Cutter 0.4-1.3mm





3

Capacity	16–26 AWG / 0.4–1.3mm Solid Wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5’

APPLICATIONS

MP-265C

6" Wire Stripper & Cutter 0.2-0.3mm





3

Capacity	28–30 AWG / 0.2–0.3mm Solid Wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5’

APPLICATIONS

MP-266C

6" Wire Stripper & Cutter 0.5-2.0mm





3

Capacity	12–24 AWG / 0.5–2.0mm Solid Wire
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5’


APPLICATIONS

MP-259W



5.5" Multi-Purpose Wire Stripper 0.6-2.6mm

3



3-in-1 versatile tool for wire stripping, cutting, and crimping.

Capacity	0.6-2.6mm
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 20	G.W. (kgs) 22	MEAS. (cuft) 2.5'


APPLICATIONS

MP-260W



6" Wire Stripper & Cutter 0.8-2.6mm

3



Capacity	10–20 AWG / 0.8–2.6mm Solid Wire
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5'


APPLICATIONS

MP-261W



6" Wire Stripper & Cutter 0.2-0.8mm

3



Capacity	20–30 AWG / 0.2–0.8mm Solid Wire
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5'


APPLICATIONS

MP-263W



6" Wire Stripper & Cutter 1.8-4.5mm

3



Capacity	8–16 AWG /1.8–4.5mm Solid Wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft)ft) 2.5'

APPLICATIONS

MP-263AW

6" Wire Stripper & Cutter 4.5-6.5mm





3

Capacity	4–8 AWG / 4.5–6.5mm Solid Wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 29	G.W. (kgs) 30	MEAS. (cuft) 2.5’

APPLICATIONS

MP-264W

6" Wire Stripper & Cutter 0.4-1.3mm





3

Capacity	16–26 AWG / 0.4–1.3mm Solid Wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5’

APPLICATIONS

MP-265W

6" Wire Stripper & Cutter 0.2-0.3mm





3

Capacity	28–30 AWG / 0.2–0.3mm Solid Wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5’

APPLICATIONS

MP-266W

6" Wire Stripper & Cutter 0.5-2.0mm





3

Capacity	12–24 AWG / 0.5–2.0mm Solid Wire
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 26	G.W. (kgs) 27	MEAS. (cuft) 2.5’

APPLICATIONS

MP-262

8" Multi-Purpose Wire Stripper





3


Stripping Capacity: 10–20 AWG / 0.8–2.6mm Solid Wire
Bolt Shearing Capacity: M2.6, M3, M3.5, M4, M5
Crimping Capacity: 0.3–6.0mm²


Inner / Master Cartons (PCS)		10/100
N.W.(kgs) 25	G.W. (kgs) 27	MEAS. (cuft) 2.3'

APPLICATIONS

MP-262B

8" Multi-Purpose Wire Stripper





3


Stripping Capacity: 12–24 AWG / Hole Dia 0.8–2.5mm (Solid)
Crimping Capacity: 0.3–2.0 mm²


Inner / Master Cartons (PCS)		10/100
N.W.(kgs) 25	G.W. (kgs) 27	MEAS. (cuft) 2.3'

APPLICATIONS

MP-262C

8" Multi-Purpose Wire Stripper





3

Stripping Capacity: 18–30 AWG / Hole Dia 0.4–1.45mm (Solid)
Crimping Capacity: 0.3–2.0 mm²


Inner / Master Cartons (PCS)		10/100
N.W.(kgs) 25	G.W. (kgs) 27	MEAS. (cuft) 2.3'

APPLICATIONS

MP-269

Pocket Multi-Purpose Wire & Cable Stripper





Stripping Capacity (Wire):
10–20 AWG / 0.8–2.6mm Solid
Stripping Capacity (Cable):
Round Cables, UTP/STP Data Cables & Coaxial Cables
Functions: Wire Stripper, Cable Jacket Slitter, Wire Cutter, Front Plier Jaws


Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS

MP-269A

Pocket Multi-Purpose Wire & Cable Stripper





Stripping Capacity (Wire):
20–30 AWG / 0.2–0.8mm Solid
Stripping Capacity (Cable):
Round Cables, UTP/STP Data Cables & Coaxial Cables
Functions: Wire Stripper, Cable Jacket Slitter, Wire Cutter, Front Plier Jaws

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS

MP-270

7" Self-Adjusting Automatic Wire Stripper



Stripping Capacity: 10–24 AWG / 0.2–6.0mm²(Solid & Stranded Wire)
Mechanism: Self-Adjusting Pistol-Grip Jaw System
Adjustable Length Stop: Integrated Stopper with Inch / mm Scales (1/4" to 1")
Tension Adjustment: Top Precision Knob for Fine-Tuning Insulation Grip Pressure

Inner / Master Cartons (PCS) 10/100

N.W.(kgs) 24	G.W. (kgs) 26	MEAS. (cuft) 3.0'

APPLICATIONS

MP-277

Rotary Coaxial Cable Stripper



Cable Compatibility: Coaxial Cables (RG59, RG6, RG7, RG11) &
UTP/STP Round Network Cables
Stripping Preset Lengths: 6mm & 12mm Two-Step Precision Stripping

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS

MP-278

8" Automatic Wire Stripper/Crimper



Stripping Capacity: 10–24 AWG / 0.2–6.0 mm²
Insulated Crimping: 22–10 AWG / 0.5–6.0 mm²
Non-Insulated Crimping: 22–10 AWG / 0.5–6.0 mm²
Auto Ignition Terminals: 7–8mm
Inner / Master Cartons (PCS) 10/72

N.W.(kgs) 24	G.W. (kgs) 25	MEAS. (cuft) 2.0'

APPLICATIONS

MP-279 Series

MP-279 8" Multi-Purpose Wire Cutter & Crimper








Pointed Diagonal Cutter (MP-279)

MP-279L 8" Multi-Purpose Long Nose Wire Cutter & Crimper







Long Nose Jaws with Serrations (MP-279L)

Versatile Multi-Tool Design: ntegrates p recision cutting/gripping, wire stripping, cable shearing, terminal crimping and wire pulling into a single heavy-duty electrician's tool.
Integrated Wire Pulling Hole: Built-in hole on the jaw frame allows easy securing of wires or fish tapes for pulling cables through conduits and wall enclosures.
Precision Metric Crimping Dies: Dedicated crimping stations designed for 0.3 to 5.5 mm² insulated and non-insulated terminals (0.3–0.5, 1.25, 2.0, 5.5 mm²).
Precision V-Notch Stripper: Form-ground V-notch quickly strips 0.8–2.0 mm (20–12 AWG) solid copper wire jackets without nicking the conductor.
Curved Base Cable Shear: Induction-hardened curved shearing edges prevent stranded wires from slipping out, delivering smooth, effortless cable cuts.
Spring-Loaded Action with Safety Lock: Internal coil spring reopens handles automatically to minimize operator fatigue, with a built-in locking latch for compact storage.

Handle Style

Standard Grip (Red/Black)



Ergonomic Comfort Grip (Blue/Black)



Specifications

Overall Length:
7" (180 mm)
Crimping Range:
0.3 – 5.5 mm² (Insulated & Non-Insulated)
Stripping Range:
0.8 – 2.0 mm / 20–12 AWG (Solid Wire)
Material:
High-Carbon Alloy Steel (Black Oxide Finish)
Handle Material:
Dual-Component Non-Slip Grips (TPR)

Cut



Grip



Strip



Cable Cut



Wire Pulling



Terminal Crimping




Safety Lock

Inner / Master Cartons (PCS)		10/100
N.W.(kgs) 12	G.W. (kgs) 13	MEAS. (cuft) 2.0'

APPLICATIONS

PUNCHING PLIERS


06



Precise Hole Punching For Leather, Plastic, And Sheet Materials

Metal Sheet Hole Punch Pliers MP-165E Series

6" MP-165AE



MP-165AE
1.25mm



MP-165BE
1.5mm



MP-165CE
1.8mm



5.5" MP-165DE



MP-165DE
1.25mm



MP-165EE
1.5mm



MP-165FE
1.8mm



Item No	Overall Length	Punch Pin Dia.	Special Features Inner
MP-165AE	6"	1.25 mm	Adjustable Depth Screw
MP-165BE	6"	1.50 mm	
MP-165CE	6"	1.80 mm	
MP-165DE	5.5"	1.25 mm	High-Leverage Short Jaw
MP-165EE	5.5"	1.50 mm	
MP-165FE	5.5"	1.80 mm	

Precision Pin & Die Punching:
Engineered with matched male-pin and female-die set for clean, burr-free hole punching on thin metal sheets. (up to 0.5 mm brass/copper/aluminum)

Replaceable Punch Pins:
High-durability free-cutting steel pins can be easily replaced when worn, significantly extending tool service life.

Precision Depth Control (6" Models):
Equipped with an adjustable limit screw to precisely calibrate stroke depth and prevent pin over-penetration.

High-Leverage Short-Jaw Design (5.5" Model):
Features a shortened jaw design that maximizes leverage, delivering greater punching force with less hand effort.

Durable Construction:
Heat-treated carbon steel body with ergonomic dual-color anti-slip grips and spring-loaded reopening.

Inner / Master Cartons (PCS) 10/100

N.W.(kgs) 12	G.W. (kgs) 13	MEAS. (cuft) 2.0

APPLICATIONS

MP-165G

8" Revolving Leather Hole Punch Pliers



●●●●

Equipped with a compound power-assist mechanism and a revolving head with 6 punch sizes (2–4.5 mm), this heavy-duty punch pliers creates clean, effortless holes in leather, belts, and canvas.


Inner / Master Cartons (PCS)

N.W.(kgs) 24	G.W. (kgs) 25	MEAS. (cuft) 3.7'

APPLICATIONS

SNAP-RING PLIERS

07




ENGINEERED FOR SECURE INSTALLATION AND REMOVAL OF SNAP RINGS

MP-80



3" Circlip Pliers
Straight Nose, Internal Type

2.5




Material	Carbon Steel
Circlip Range (mm)	10~25
Circlip Hole Size (mm)	1.5~2.0
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEAS. (cuft) 1.56'


APPLICATIONS

MP-81



3" Circlip Pliers
Bent Nose, Internal Type

2.5 45



Material	Carbon Steel
Circlip Range (mm)	10~25
Circlip Hole Size (mm)	1.5~2.0
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEAS. (cuft) 1.56'


APPLICATIONS

MP-82



3" Circlip Pliers
Straight Nose, External Type

2.5



Material	Carbon Steel
Circlip Range (mm)	10~25
Circlip Hole Size (mm)	1.5~2.0
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEAS. (cuft) 1.56'

APPLICATIONS

MP-83



3" Circlip Pliers
Bent Nose, External Type

2.5 45



Material	Carbon Steel
Circlip Range (mm)	10~25
Circlip Hole Size (mm)	1.5~2.0
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEAS. (cuft) 1.56'


APPLICATIONS

MP-80F



3" Circlip Pliers
Straight Nose, Internal Type

2.5



Material	Carbon Steel
Circlip Range (mm)	4~12
Circlip Hole Size (mm)	0.8~1.2
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEAS. (cuft) 1.56'


APPLICATIONS

MP-81F



3" Circlip Pliers
Bent Nose, Internal Type

2.5 45



Material	Carbon Steel
Circlip Range (mm)	4~12
Circlip Hole Size (mm)	0.8~1.2
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEAS. (cuft) 1.56'


APPLICATIONS

MP-82F



3" Circlip Pliers
Straight Nose, External Type

2.5



Material	Carbon Steel
Circlip Range (mm)	4~12
Circlip Hole Size (mm)	0.8~1.2
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEAS. (cuft) 1.56'


APPLICATIONS

MP-83F



3" Circlip Pliers
Bent Nose, External Type

2.5 45




Material	Carbon Steel
Circlip Range (mm)	4~12
Circlip Hole Size (mm)	0.8~1.2
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEAS. (cuft) 1.56'

APPLICATIONS

MP-80S



3" Set of Circlip Pliers

4 Parts

2.5

Material	Carbon Steel
Grip Range (mm)	10~25
Size Of Bore / Size Of Shaft (mm)	1.5~2.0
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEAS. (cuft) 1.56'

APPLICATIONS

MP-80FS



3" Set of Circlip Pliers

4 Parts

2.5

Material	Carbon Steel
Grip Range (mm)	4~12
Circlip Hole Size (mm)	0.8~1.2
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEAS. (cuft) 1.56'


APPLICATIONS

MP-501



5" Circlip Pliers
Straight Nose, Internal Type

3



Material	Carbon Steel
Grip Range (mm)	10~25
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.4'

APPLICATIONS

MP-502



5" Circlip Pliers
Bent Nose, Internal Type

3 90



Material	Carbon Steel
Grip Range (mm)	10~25
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.4'

APPLICATIONS

MP-503



5" Circlip Pliers
Straight Nose, External Type

3



Material	Carbon Steel
Grip Range (mm)	10~25
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.4'

APPLICATIONS

MP-504



5" Circlip Pliers
Bent Nose, External Type

3 90



Material	Carbon Steel
Grip Range (mm)	10~25
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.4'


APPLICATIONS

MP-170



5.5" Circlip Pliers
Straight Nose, Internal Type

2.5



Material	Carbon Steel
Grip Range (mm)	10~25
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS

MP-171



5.5" Circlip Pliers
Bent Nose, Internal Type

2.5 75



Material	Carbon Steel
Grip Range (mm)	10~25
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS

MP-172



5.5" Circlip Pliers
Straight Nose, External Type

2.5



Material	Carbon Steel
Grip Range (mm)	10~25
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS

MP-173



5.5" Circlip Pliers
Bent Nose, External Type

2.5 75



Material	Carbon Steel
Grip Range (mm)	10~25
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS

MP-170F



5.5" Circlip Pliers
Straight Nose, Internal Type

2.5



Material	Carbon Steel
Grip Range (mm)	6~20
Circlip Hole Size (mm)	0.8~1.7
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS

MP-171F



5.5" Circlip Pliers
Bent Nose, Internal Type

2.5 75



Material	Carbon Steel
Grip Range (mm)	6~20
Circlip Hole Size (mm)	0.8~1.7
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS

MP-172F



5.5" Circlip Pliers
Straight Nose, External Type

2.5



Material	Carbon Steel
Grip Range (mm)	6~20
Circlip Hole Size (mm)	0.8~1.7
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'

APPLICATIONS

MP-173F



5.5" Circlip Pliers
Bent Nose, External Type

2.5 75



Material	Carbon Steel
Grip Range (mm)	6~20
Circlip Hole Size (mm)	0.8~1.7
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.5'


APPLICATIONS

MP-175



7" Circlip Pliers
Straight Nose, Internal Type





Material	Carbon Steel
Grip Range (mm)	12~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.4'


APPLICATIONS

MP-176



7" Circlip Pliers
Bent Nose, Internal Type





Material	Carbon Steel
Grip Range (mm)	12~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.4'

APPLICATIONS

MP-177



7" Circlip Pliers
Straight Nose, External Type





Material	Carbon Steel
Grip Range (mm)	12~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/200


N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.4'


APPLICATIONS

MP-178



7" Circlip Pliers
Bent Nose, External Type





Material	Carbon Steel
Grip Range (mm)	12~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 13	G.W. (kgs) 15	MEAS. (cuft) 1.4'


APPLICATIONS

MP-600



7" Circlip Pliers
Straight Nose, Internal Type






Material	Carbon Steel
Grip Range (mm)	12~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 1.5'


APPLICATIONS

MP-601



7" Circlip Pliers
Bent Nose, Internal Type





Material	Carbon Steel
Grip Range (mm)	12~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 1.5'


APPLICATIONS

MP-602



7" Circlip Pliers
Straight Nose, External Type





Material	Carbon Steel
Grip Range (mm)	12~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/100


N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 1.5'

APPLICATIONS

MP-603



7" Circlip Pliers
Bent Nose, External Type






Material	Carbon Steel
Grip Range (mm)	12~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 1.5'


APPLICATIONS

MP-600H



7" Circlip Pliers
Straight Nose, Internal Type





Material	Carbon Steel
Grip Range (mm)	19~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 1.5'

APPLICATIONS




MP-601H



7" Circlip Pliers
Bent Nose, Internal Type






Material	Carbon Steel
Grip Range (mm)	19~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 1.5'

APPLICATIONS




MP-602H



7" Circlip Pliers
Straight Nose, External Type





Material	Carbon Steel
Grip Range (mm)	19~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 1.5'

APPLICATIONS




MP-603H



7" Circlip Pliers
Bent Nose, External Type





Material	Carbon Steel
Grip Range (mm)	19~65
Circlip Hole Size (mm)	2.0~2.5
Inner / Master Cartons (PCS)	10/200

N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 1.5'

APPLICATIONS



MP-530H



8.5" Circlip Pliers
Straight Nose, Internal Type



Material	Carbon Steel
Grip Range (mm)	10~32
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/72

N.W.(kgs) 25	G.W. (kgs) 26	MEAS. (cuft) 2.24'

APPLICATIONS





MP-531H



8.5" Circlip Pliers
Bent Nose, Internal Type



Material	Carbon Steel
Grip Range (mm)	10~32
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/72


N.W.(kgs) 25	G.W. (kgs) 26	MEAS. (cuft) 2.24'

APPLICATIONS





MP-532H



8.5" Circlip Pliers
Straight Nose, External Type



Material	Carbon Steel
Grip Range (mm)	10~32
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/72

N.W.(kgs) 25	G.W. (kgs) 26	MEAS. (cuft) 2.24'

APPLICATIONS






MP-533H



8.5" Circlip Pliers
Bent Nose, External Type



Material	Carbon Steel
Grip Range (mm)	10~32
Circlip Hole Size (mm)	1.2~2.0
Inner / Master Cartons (PCS)	10/72

N.W.(kgs) 25	G.W. (kgs) 26	MEAS. (cuft) 2.24'

APPLICATIONS








MP-610



9" Circlip Pliers
Straight Nose, Internal Type







Material	Carbon Steel
Grip Range (mm)	32~80
Circlip Hole Size (mm)	2.5~3.0
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 28	G.W. (kgs) 30	MEAS. (cuft) 2.4'

APPLICATIONS





MP-611



9" Circlip Pliers
Bent Nose, Internal Type







Material	Carbon Steel
Grip Range (mm)	32~80
Circlip Hole Size (mm)	2.5~3.0
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 28	G.W. (kgs) 30	MEAS. (cuft) 2.4'

APPLICATIONS




MP-612



9" Circlip Pliers
Straight Nose, External Type





Material	Carbon Steel
Grip Range (mm)	32~80
Circlip Hole Size (mm)	2.5~3.0
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 28	G.W. (kgs) 30	MEAS. (cuft) 2.4'

APPLICATIONS




MP-613



9" Circlip Pliers
Bent Nose, External Type





Material	Carbon Steel
Grip Range (mm)	32~80
Circlip Hole Size (mm)	2.5~3.0
Inner / Master Cartons (PCS)	10/100

N.W.(kgs) 28	G.W. (kgs) 30	MEAS. (cuft) 2.4'


APPLICATIONS





MP-615



12" Circlip Pliers
Straight Nose, Internal Type







Material	Carbon Steel
Grip Range (mm)	85~165
Circlip Hole Size (mm)	3.5~4.0
Inner / Master Cartons (PCS)	10/60

N.W.(kgs) 30	G.W. (kgs) 32	MEAS. (cuft) 2.7'

APPLICATIONS





MP-616



12" Circlip Pliers
Bent Nose, Internal Type








Material	Carbon Steel
Grip Range (mm)	85~165
Circlip Hole Size (mm)	3.5~4.0
Inner / Master Cartons (PCS)	10/60

N.W.(kgs) 30	G.W. (kgs) 32	MEAS. (cuft) 2.7'

APPLICATIONS




MP-617



12" Circlip Pliers
Straight Nose, External Type





Material	Carbon Steel
Grip Range (mm)	85~165
Circlip Hole Size (mm)	3.5~4.0
Inner / Master Cartons (PCS)	10/60

N.W.(kgs) 30	G.W. (kgs) 32	MEAS. (cuft) 2.7'

APPLICATIONS




MP-618



12" Circlip Pliers
Bent Nose, External Type





Material	Carbon Steel
Grip Range (mm)	85~165
Circlip Hole Size (mm)	3.5~4.0
Inner / Master Cartons (PCS)	10/60

N.W.(kgs) 30	G.W. (kgs) 32	MEAS. (cuft) 2.7'

APPLICATIONS




MP-665





MP-665T: Replacement Tip Set

10.5" Circlip Pliers
Straight Nose, Internal Type



Material	Carbon Steel
Grip Range (mm)	60~85
Circlip Hole Size (mm)	3.0~3.5
Inner / Master Cartons (PCS)	10/60

N.W.(kgs) 24	G.W. (kgs) 26	MEAS. (cuft) 1.95'

APPLICATIONS

MP-666






MP-666T: Replacement Tip Set

10.5" Circlip Pliers
Bent Nose, Internal Type

90



Material	Carbon Steel
Grip Range (mm)	60~85
Circlip Hole Size (mm)	3.0~3.5
Inner / Master Cartons (PCS)	10/60

N.W.(kgs) 24	G.W. (kgs) 26	MEAS. (cuft) 1.95'

APPLICATIONS


MP-667





MP-667T: Replacement Tip Set

10.5" Circlip Pliers
Straight Nose, External Type



Material	Carbon Steel
Grip Range (mm)	60~85
Circlip Hole Size (mm)	3.0~3.5
Inner / Master Cartons (PCS)	10/60

N.W.(kgs) 24	G.W. (kgs) 26	MEAS. (cuft) 1.95'

APPLICATIONS

MP-668






MP-668T: Replacement Tip Set

10.5" Circlip Pliers
Bent Nose, External Type

90



Material	Carbon Steel
Grip Range (mm)	60~85
Circlip Hole Size (mm)	3.0~3.5
Inner / Master Cartons (PCS)	10/60

N.W.(kgs) 24	G.W. (kgs) 26	MEAS. (cuft) 1.95'

APPLICATIONS


MP-670





MP-670T: Replacement Tip Set

16" Circlip Pliers
Straight Nose, Internal Type



Material	Carbon Steel
Grip Range (mm)	85~170
Circlip Hole Size (mm)	3.5~4.0
Inner / Master Cartons (PCS)	1/20

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.3'

APPLICATIONS

MP-671






MP-671T: Replacement Tip Set

16" Circlip Pliers
Bent Nose, Internal Type

90



Material	Carbon Steel
Grip Range (mm)	85~170
Circlip Hole Size (mm)	3.5~4.0
Inner / Master Cartons (PCS)	1/20

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.3'

APPLICATIONS


MP-672





MP-672T: Replacement Tip Set

16" Circlip Pliers
Straight Nose, External Type



Material	Carbon Steel
Grip Range (mm)	85~170
Circlip Hole Size (mm)	3.5~4.0
Inner / Master Cartons (PCS)	1/20

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.3'

APPLICATIONS

MP-673






MP-673T: Replacement Tip Set

16" Circlip Pliers
Bent Nose, External Type

90



Material	Carbon Steel
Grip Range (mm)	85~170
Circlip Hole Size (mm)	3.5~4.0
Inner / Master Cartons (PCS)	1/20

N.W.(kgs) 22	G.W. (kgs) 23	MEAS. (cuft) 2.3'

APPLICATIONS


MP-680






MP-680T: Replacement Tip Set

20" Circlip Pliers
Straight Nose, Internal Type





Material	Carbon Steel
Grip Range (mm)	165~300
Circlip Hole Size (mm)	4.5~5.5
Inner / Master Cartons (PCS)	1/12

N.W.(kgs) 23	G.W. (kgs) 24	MEAS. (cuft) 2.3'

APPLICATIONS

MP-681






MP-681T: Replacement Tip Set

20" Circlip Pliers
Bent Nose, Internal Type





Material	Carbon Steel
Grip Range (mm)	165~300
Circlip Hole Size (mm)	4.5~5.5
Inner / Master Cartons (PCS)	1/12

N.W.(kgs) 23	G.W. (kgs) 24	MEAS. (cuft) 2.3'

APPLICATIONS


MP-682





MP-682T: Replacement Tip Set

20" Circlip Pliers
Straight Nose, External Type





Material	Carbon Steel
Grip Range (mm)	165~300
Circlip Hole Size (mm)	4.5~5.5
Inner / Master Cartons (PCS)	1/12

N.W.(kgs) 23	G.W. (kgs) 24	MEAS. (cuft) 2.3'

APPLICATIONS

MP-683






MP-683T: Replacement Tip Set

20" Circlip Pliers
Bent Nose, External Type





Material	Carbon Steel
Grip Range (mm)	165~300
Circlip Hole Size (mm)	4.5~5.5
Inner / Master Cartons (PCS)	1/12

N.W.(kgs) 23	G.W. (kgs) 24	MEAS. (cuft) 2.3'

APPLICATIONS

MP-170S

4 PCS, 7" & 5.5" Snap Ring Pliers Set



Material	Carbon Steel
Grip Range (mm)	5.5" internal/external:10~25 7" internal/external:12~65
Circlip Hole Size (mm)	1.2~2.0 / 2.0~2.5
Inner/master Cartons (pcs)	4/24 SET

N.W.(kgs) 20	G.W. (kgs) 21	MEANS. (cuft) 2.69'

APPLICATIONS

MP-665S

2 PCS, 10.5" Snap Ring Pliers Set



15 45 90

Material	Carbon Steel
Grip Range (mm)	internal/external:60~85 / 40~85
Circlip Hole Size (mm)	3.0~3.5
Inner/master Cartons (pcs)	4/12 SET

N.W.(kgs) 15	G.W. (kgs) 16	MEANS. (cuft) 1.5'

APPLICATIONS

MP-670S

2 PCS, 16" Snap Ring Pliers Set



45 90

Material	Carbon Steel
Grip Range (mm)	internal/external:85~170
Circlip Hole Size (mm)	3.5~4
INNER/MASTER CARTONS (PCS)	4/5 SET

N.W.(kgs) 18	G.W. (kgs) 19	MEANS. (cuft) 2.2'

APPLICATIONS

MP-680S

2 PCS, 20" Snap Ring Pliers Set



90


Material	Carbon Steel
Grip Range (mm)	internal/external:165~300
Circlip Hole Size (mm)	4.5~5.5
INNER/MASTER CARTONS (PCS)	4/3 SET

N.W.(kgs) 17	G.W. (kgs) 18	MEANS. (cuft) 2.14'

APPLICATIONS

PRECISION SCISSORS & SHEARS

08



Engineered for Clean Cuts and Lasting Sharpness

MP-107

5" Spring-Loaded Curved Precision Scissors



1.9

An ultra-sharp 5" curved micro-tip precision snip featuring a retractable spring-loaded handle and a safety protective cap for delicate trimming.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 10	G.W. (kgs) 12	MEANS. (cuft) 1.8'

APPLICATIONS

MP-108

4" Straight Precision Scissors



1.5

A compact 4" straight precision micro-tip scissor with a safety protective cap, ideal for beauty care, grooming, and fine detail craft cutting.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 6	G.W. (kgs) 7	MEANS. (cuft) 1.8'

APPLICATIONS

MP-108A

4" Safety Round-Tip Grooming Scissors



1.5

A 4" personal grooming scissor with smooth rounded safety tips and a protective cap, specially designed for safe nose, ear, and facial hair trimming.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 6	G.W. (kgs) 7	MEANS. (cuft) 1.8'

APPLICATIONS

MP-108B

4" Curved Beauty & Grooming Scissors



1.5

A 4" curved precision micro-tip scissor with a protective cap, ergonomically contoured for precise eyebrow, lash, and beauty tape trimming.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 6	G.W. (kgs) 7	MEANS. (cuft) 1.8'

APPLICATIONS

MP-109

5" Anti-Slip Precision Scissors with File Sheath



2.1

A versatile 5" serrated precision scissor featuring micro-serrated anti-slip blades and a protective sheath with an integrated nail file.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 10	G.W. (kgs) 12	MEANS. (cuft) 1.8’

APPLICATIONS

MP-116

5" Ergonomic Curved Precision Scissors with Safety Cap



1.9

A high-precision 5" spring-loaded curved Shears featuring an ergonomic palm-grip handle and a transparent blade sheath, designed for effortless delicate trimming.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 10	G.W. (kgs) 12	MEANS. (cuft) 1.8’

APPLICATIONS

MP-228E

5" Micro-Serrated Fiber Optic & Utility Shears



3.1

A 5" heavy-duty optical scissor with micro-serrated blades and a stripping notch, engineered for precision cutting of tough Kevlar and fiberglass cables.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 9	G.W. (kgs) 10	MEANS. (cuft) 2.14’

APPLICATIONS

MP-229

8" Multi-Purpose Shears



3.5

Crafted from rust-resistant stainless steel, these spring-loaded micro-serrated blades deliver precise cuts through tough materials—from cable jackets and thin metal sheets to thick leather and garden mesh.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 20	G.W. (kgs) 22	MEANS. (cuft) 2.3’

APPLICATIONS

MP-241

6" Garden Shears

2.5



Suitable for cutting flower, leaf, branch, cloth, crab fruit and plastic bottle.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 14	G.W. (kgs) 16	MEANS. (cuft) 2.5'

APPLICATIONS

MP-242B

7.5" Paper Scissors

2.5



Suitable for opening an envelop, cutting paper and adbesive tap.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 17	G.W. (kgs) 18	MEANS. (cuft) 2.8 '

APPLICATIONS

MP-247A

9" Multi-Purpose Shears

4



Material: Stainless Steel 420J2 Blade & Aluminum Handle With TPR Girps.

Inner / Master Cartons (PCS) 10/72

N.W.(kgs) 18	G.W. (kgs) 20	MEANS. (cuft) 2'

APPLICATIONS

MP-248A

7" Multi-Purpose Shears

4



Material: High Carbon Blade & Aluminum Handle With PE Girps.

Inner / Master Cartons (PCS) 10/100

N.W.(kgs) 23	G.W. (kgs) 24	MEANS. (cuft) 2.3'

APPLICATIONS

MP-248AA

8" Multi-Purpose Shears



4

Material: High Carbon Blade & Aluminum Handle With PE Girps.

Inner / Master Cartons (PCS) 10/100

N.W.(kgs) 24	G.W. (kgs) 25	MEANS. (cuft) 2.3’

APPLICATIONS

MP-248B

7" Multi-Purpose Shears



4

Material: High Carbon Blade & Aluminum Handle With PE Girps.

Inner / Master Cartons (PCS) 10/100

N.W.(kgs) 23	G.W. (kgs) 24	MEANS. (cuft) 2.3’

APPLICATIONS

MP-248C

9" Heavy-Duty Pruning Shears



4

Material: High Carbon Blade & Aluminum Handle With PE Girps.

Inner / Master Cartons (PCS) 10/200

N.W.(kgs) 23	G.W. (kgs) 24	MEANS. (cuft) 2.3’

APPLICATIONS

MP-20B

8" Utility Knife



3.2

For: Wires Stripper. Camping.
Material: High Carbon Steel.


Inner/mastInner / Master Cartons (PCS) 10/100

N.W.(kgs) 17	G.W. (kgs) 18	MEANS. (cuft) 2.3’

APPLICATIONS

PRECISION TWEEZERS

09



Designed for Ultimate Accuracy and Ultra-Fine Handling

MP-OO

4.5" Extremely Fine And Sharp Tip Tweezer



Inner / Master Cartons (PCS)			25/500
N.W.(kgs) 14	G.W. (kgs) 16	MEAS. (cuft)	1.8’

APPLICATIONS

MP-SS

4.5" Fine Tip Straight Tweezer

Uitable for electronics, jewelry & gardening.



Inner / Master Cartons (PCS)			25/500
N.W.(kgs) 14	G.W. (kgs) 16	MEAS. (cuft)	1.8’

APPLICATIONS

MP-3C

4" Super Fine Tip Straight Tweezer

Uitable for electronics, jewelry & gardening.



Inner / Master Cartons (PCS)			25/500
N.W.(kgs) 14	G.W. (kgs) 16	MEAS. (cuft)	1.8’

APPLICATIONS

MP-2A

4" Super Fine Tip Straight Tweezer

Uitable for electronics, jewelry & gardening.



Inner / Master Cartons (PCS)			10/200
N.W.(kgs) 14	G.W. (kgs) 16	MEAS. (cuft)	1.8’

APPLICATIONS

MP-SA



4" Super Fine Tip Straight Tweezer



Suitable for electronics, jewelry & gardening.

Inner / Master Cartons (PCS)					25/500
N.W.(kgs)	14	G.W. (kgs)	16	MEAS. (cuft)	1.8’

APPLICATIONS



MP-7A



3.7" Fine Tip Curved Tweezer



Suitable for electronics, jewelry & gardening.

Inner / Master Cartons (PCS)					25/500
N.W.(kgs)	14	G.W. (kgs)	16	MEAS. (cuft)	1.8’

APPLICATIONS



MP-AA



4" Insulated Tweezer



Suitable for electronics, jewelry & gardening.

Inner / Master Cartons (PCS)					25/500
N.W.(kgs)	14	G.W. (kgs)	16	MEAS. (cuft)	1.8’

APPLICATIONS



MP-BB



3.8" Extremely Fine And Sharp Tip Tweezer




Suitable for electronics, jewelry & gardening.

Inner / Master Cartons (PCS)					10/200
N.W.(kgs)	14	G.W. (kgs)	16	MEAS. (cuft)	1.8’

APPLICATIONS



MP-CC



5.3" Heavy-Duty Tweezer



Suitable for electronics, jewelry & gardening.

Inner / Master Cartons (PCS)		20/200
N.W.(kgs) 10	G.W. (kgs) 11	MEAS. (cuft) 1’

APPLICATIONS



MP-DD



5.3" Univeral Tweezer



Suitable for electronics, jewelry & gardening.

Inner / Master Cartons (PCS)		20/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 1’

APPLICATIONS



MP-EE



5.6" Reverse Action Tweezer



Suitable for electronics, jewelry & gardening.

Inner / Master Cartons (PCS)		20/200
N.W.(kgs) 16	G.W. (kgs) 17	MEAS. (cuft) 1’

APPLICATIONS



MP-FF



5.3" Super Fine Tip Straight Tweezer



Featuring ultra-fine tips and a spade-shaped end for high-precision assembly and convenient component pickup.

Inner / Master Cartons (PCS)		10/200
N.W.(kgs) 12	G.W. (kgs) 14	MEAS. (cuft) 1’

APPLICATIONS



MP-1210



4-PCS Tweezers Set

4 Different style stainless steel tweezers for every need includes one self-locking; ideal for picking up small components in hand to reach places, as we as component assembly one pc prototype boards. Non- magnetic.

Inner / Master Cartons (PCS)			24/240
N.W.(kgs) 15	G.W. (kgs) 16	MEAS. (cuft)	2.14’

APPLICATIONS

PRECISION TOOLS
For Fine Work

Top Quality

GOOD TOOLS
INDUSTRIAL Co., Ltd.

NO.168, Wufu W. Rd., Wu Fu Vil.
Wufeng Dist.,
Taichung City 413, Taiwan(R.O.C)

TEL 886-4-23398423
886-4-23337353

FAX 886-4-23333788

E-MAIL gt398423@ms61.hinet.net

www.goodtoolstw.com





